

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1505	(375/346).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 17:00
S1	164	timing adj signal adj generat\$3 same gate same amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:15
S2	135	matched adj filter same mixer and amplifier and energy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:15
S3	427	matched adj filter same mixer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:51
S5	1245	timing near3 generat\$3 same gate same amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:53
S6	44	S5 and mixer and energy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:03
S7	0	S5 and mixer and energy with (caculat\$3 estimat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:06
S8	10	S5 and mixer and (power energy) with (caculat\$3 estimat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:10
S9	4	energy with (calculat\$3 estimat\$3) same receiver same signal same (benefit reason)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:15

S10	17	energy with (calculat\$3 estimat\$3) same signal same integra\$3 same absolute adj value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:16
S11	1570	timing adj signal same gate same amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:40
S12	135	matched adj filter same mixer and amplifier and energy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:15
S13	1	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:15
S14	5957	(clock timing) adj3 signal same gate same amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:40
S15	275	S14 and mixer same amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:42
S16	5894	absolute adj value same integrat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:43
S17	2	S15 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:43
S18	1	("20050069059").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 13:51
S19	150	(second two) adj receiver\$1 and (select\$3 switch) and (sample near2 hold quantiz\$5 S\$2H) and (DSP digital adj signal adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:16

S20	1	("20050069062").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:00
S21	142	S19 and @ad<="20031121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:04
S22	65	(second two) adj receiver\$1 and (select\$3 switch) and (sample near2 hold quantiz\$5 S\$2H) and (DSP digital adj signal adj processor) same (compare\$1 select\$3 choose\$1 pick\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:03
S23	62	S22 and @ad<="20031121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:18
S24	18	S23 and (compare\$1 select\$3 choose\$1 pick\$1) with ((signal magnitude power reception) near3 (high\$3 better more))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:20
S25	6	S23 and wideband	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:18
S26	3	S25 and (compare\$1 select\$3 choose\$1 pick\$1) with ((signal magnitude power reception) near3 (high\$3 better more))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:11
S27	143	(second two) adj receiver\$1 and (select\$3 switch) and (((sample near2 hold or S\$2H) and (ADC analog near2 digital)) or quantiz\$5) and (DSP digital adj signal adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 15:48
S28	136	S27 and @ad<="20031121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 15:49
S29	40	S28 and wideband	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 15:49

S30	3	S29 and (compare\$1 select\$3 choose\$1 pick\$1) with ((signal magnitude power reception) near3 (high\$3 better more))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 15:49
S31	5	S28 and ultra\$1wideband	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 14:31
S32	2198	(second two) near2 receiv\$3 and (select\$3 switch) and (((sample near2 hold or S\$2H) and (ADC analog near2 digital)) or quantiz\$5) and (DSP digital adj signal adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 15:49
S33	2071	S32 and @ad<="20031121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 15:49
S34	284	S33 and wideband	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 15:49
S35	44	S34 and (compare\$1 select\$3 choose\$1 pick\$1) with ((signal magnitude power reception) near3 (high\$3 better more))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:33
S36	2198	(second two) near2 receiv\$3 and (select\$3 switch) and (((sample near2 hold or S\$2H) and (ADC analog near2 digital)) or quantiz\$5) and (DSP digital adj signal adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:38
S37	2071	S36 and @ad<="20031121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:39
S38	284	S37 and (compare\$1 select\$3 choose\$1 pick\$1) with ((signal magnitude power reception) near3 (high\$3 better more))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:38
S39	240	S38 not wideband	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:39

S40	1358	(second two) near2 receiv\$3 and switch and (((sample near2 hold or S\$2H) and (ADC analog near2 digital)) or quantiz\$5) and (DSP digital adj signal adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:38
S41	191	S40 and (compare\$1 select\$3 choose\$1 pick\$1) with ((signal magnitude power reception) near3 (high\$3 better more))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:40
S42	187	S41 and @ad<="20031121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:41
S43	156	S42 not wideband	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:41
S44	90	S43 and quantiz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:39
S45	178	S40 and DSP same (((sample near2 hold or S\$2H) and (ADC analog near2 digital)) or quantiz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:40
S46	175	S45 and @ad<="20031121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:41
S47	164	S46 not wideband	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/26 17:41
S48	2	("5937005").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 15:11
S49	3666	switch and second near receiver and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:13

S50	504	S49 and "375"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:13
S51	1136	switch and second near receiver and compar\$3 same select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:13
S52	79	second near receiver and (switch selector) same compar\$3 same (select\$3 choos\$3) and "375"/\$. ccls. and @ad<="20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:22
S53	3	second near receiver same (switch selector) same compar\$3 same (select\$3 choos\$3) and "375"/\$. ccls. and @ad<="20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:26
S54	76	(receivers or antennas or second near (receiver antenna)) same (switch selector) same compar\$3 same (select\$3 choos\$3) and "375"/\$.ccls. and @ad<="20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 16:58
S55	46173	S54 and quantizer or PCM or (sampl\$4 near2 hold and (ADC or analog adj2 digital))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 16:21
S56	9	S54 and ((quantizer or PCM) or (sampl\$4 near2 hold and (ADC or analog adj2 digital)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 16:58
S57	468	(receivers or antennas or second near (receiver antenna)) same (switch selector) same compar\$3 same (select\$3 choos\$3) and @ad<="20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 17:00
S58	29	S57 and ((quantizer or PCM) or (sampl\$4 near2 hold and (ADC or analog adj2 digital)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 16:59
S59	172	(receivers or antennas or second near (receiver antenna)) same (switch selector) and (switch selector) same (power energy) same compar\$3 same (select\$3 choos\$3) and @ad<="20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 17:01

S60	72	(receivers or antennas or second near (receiver antenna)) same (switch selector) and (switch selector) same (power energy) with compar\$3 same (select\$3 choos\$3) and @ad<="20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 17:12
S61	29	(receivers or antennas or second near (receiver antenna)) same (switch selector) and (switch selector) same (power energy) with compar\$3 same (select\$3 choos\$3) and @ad<="20030930" and correlat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 17:25
S62	8	(receivers or antennas or second near (receiver antenna)) same (switch selector) and (switch selector) same (power energy) with compar\$3 same (select\$3 choos\$3) and @ad<="20030930" and correlat\$4 and ((quantizer or PCM) or (sampl\$4 near2 hold and (ADC or analog adj2 digital)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 17:27
S63	11	(receivers or antennas or second near (receiver antenna)) and (switch selector) same (power energy) with compar\$3 same (select\$3 choos\$3) and @ad<="20030930" and correlat\$4 and ((quantizer or PCM) or (sampl\$4 near2 hold and (ADC or analog adj2 digital)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 17:27
S64	12	(receivers or antennas or second near (receiver antenna)) and (switch selector) same (power energy signal near strength) with compar\$3 same (select\$3 choos\$3) and @ad<="20030930" and correlat\$4 and ((quantizer or PCM) or (sampl\$4 near2 hold and (ADC or analog adj2 digital)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 17:38
S65	18	(receivers or antennas or second near (receiver antenna)) and (switch selector) same (power energy signal near (level or strength)) with compar\$3 same (select\$3 choos\$3) and @ad<="20030930" and ((quantizer or PCM) or (sampl\$4 near2 hold and (ADC or analog adj2 digital)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/28 17:39